





| | | | | | | | 6:0 |
|----|-------|---------------|--------|---------|----------|----------------|---------------------------------------|
| | | | | | | | The - hobord ong |
| | | | | | | | (Bore 20:04 Bove Under 5:20, Atter |
| | | | | | | | 2002 DO. OG BONC |
| | | | | | | | Nomber of CO CC |
| | | | | | | | NOTES |
| | | | | | | | BUYOUT |
| | | | | | | | OTHER: |
| | | | | | | | OTHER: |
| | | | | (pl | 21×11/ 5 | M3.5 | OTHER: PLATE MICHAL |
| | | | | Y | 1, | | GRIND |
| | | | | | | | ANODIZE |
| | | | | | | | |
| | | | | | | | BLACK OXIDE |
| | | | | | | | TA3AT TA3H |
| | | | | | | | ENGRAVE |
| | | | | | | | MELD |
| | | | | | | | FORMING |
| | | | | | | | SHEAR |
| | | | | | | | CNC MILL MAZAK |
| | | | | | 514 g. | S.M.A. | CNC MILL- MORI |
| | - | | | | 10 | | CNC LATHE- Mori SL2500 |
| | | | | VIME.T | | | CNC LATHE-Mori SL154 |
| | | | | | MA:0 | chio: | |
| | | | | MSIT | 5.0 WE | ZW8. | SETUP |
| | | | | >ME. I | 248 J. | EN ZI | MAADOAA |
| | | | | | | | MANUAL MILL |
| | | | | | | | AHTAJ JAUNAM |
| | | | | | | 8k h | SAW LENGTH |
| | | | | | | ٦. | MATERIAL DESCRIPTION |
| | - | | | | | X91/5 -0414 | YOJJA |
| | | | | | 1 | | NOMBER OF PIECES |
| | | | |). | - 1/2 | 04h | PART DESCRIPTION |
| | | | | · SULST | MINNO | 26481 | |
| | | | | - | 5- | 1- | USE NUMBER IN ORDER OF OPS |
|) | Я | 1 0WBE | 1 JIAT | DE | | | |
| | | | BTAG | | 1 | mong | BMAN TAA9 |
| | | | | | | | |
| OF | 4 | NABER_ | KEV N | 3 | 86698 | 6 66 8 | MASTER PART NUMBER |
| | | | | | | | |